








pH Selection Guide


| | | pH 1 | pH 2 | pH 3 | pH 5 | pH 6 |
|------------------|---|---|---|--|---|---|
| | |  |  |  |  |  |
| | Spare Sensor Pt. No. | 32011001 | 32011002 | 32011003 | 32011011 | 32011012 |
| | Sensor Bundle Pt. No. | 32011005 | 32011006 | 32011007 | 32011009 | 32011010 |
| Applications | Potable Water | ✗ | ✓ | ✗ | ✓ | ✓ |
| | Waste Water | ✗ | ✗ | ✓ | ✓ | ✗ |
| | Pool / Spa | ✓ | ✗ | ✗ | ✗ | ✗ |
| | Process | ✗ | ✓ | ✓ | ✓ | ✓ |
| | Boiler Feedwater | ✗ | ✗ | ✗ | ✗ | ✓ |
| Mounting Options | Single Open Flow Cell | ✓ | ✓ | ✓ | ✓ | ✓ |
| | Dual Open Flow Cell | ✓ | ✓ | ✓ | ✓ | ✓ |
| | Triple Open Flow Cell | ✓ | ✓ | ✓ | ✓ | ✓ |
| | Closed Flow Cell | ✗ | ✓ | ✓ | ✓ | ✓ |
| | Autoflush (Flow Cell) | ✗ | ✓ | ✓ | ✓ | ✓ |
| | Autoclean Immersion (Dip) | ✗ | ✗ | ✓ | ✗ | ✗ |
| | Autoclean Insertion (In Pipe) | ✗ | ✗ | ✓ | ✗ | ✗ |
| | At Line Tee | ✗ | ✓ | ✓ | ✓ | ✓ |
| | Handrail | ✗ | ✗ | ✓ | ✓ | ✓ |
| | Welding Stub | ✗ | ✓ | ✓ | ✓ | ✓ |
| Specifications | Connector | BNC Connector | Built-in cable | Built-in cable | Built-in cable | Built-in cable |
| | Standard Cable Length | 1m | 6m | 6m | 6m | 6m |
| | Submersible* | ✗ | ✗ | ✓ | ✓ | ✓ |
| | Inbuilt Temperature | ✗ | ✓ | ✓ | ✓ | ✓ |
| | Max. Temperature | 80°C | 80°C | 80°C | 100°C | 100°C |
| | Automatic Temp. Compensation | ✗ | ✓ | ✓ | ✓ | ✓ |
| | Conductivity | >100 µS/cm | >100 µS/cm | >100 µS/cm | >100 µS/cm | <300 µS/cm |
| | Junction | Single | Single | Double | Double | Double |
| | Life Expectancy (Application Dependent) | 12-18 months | 12-18 months | 12-18 months | 3 years | 18 months |
| | Back / Front Thread | ¾" NPT (Back only) | ¾" NPT (Front and back) | ¾" NPT (Front and back) | ¾" NPT (Front and back) | ¾" NPT (Front and back) |

*It is recommended that the probe be submerged on the end of a pole with the cable protected by running inside the pole.


Mounting Options



Primary Modular Flow Cell
PN: 32100020



Primary Modular Flow Cell with
Additional Cell
PN: 32100021



Primary Modular Flow Cells with 2
Additional Cells
PN: 32100021



At Line Tee (Screw In)
PN: 32100102



At Line Tee (Quick Connect)
PN: 32100103




Welding Stub (screw in)
PN: 32100106

Autoclean Options



Autoclean Insertion
PN: 36000031



Autoflush Cell
PN: 36500001



Autoclean Immersion
PN: 36000030